

Component Procedures: Brake Pad

Table of Contents

1. Parts and Labor (itype_189)
2. Front (Article 1409320)
3. Rear (Article 1409321)
4. Mechanical (including Torque) (itype_28)
5. All Technical Service Bulletins (itype_100)
6. Front (Article 1409282)
7. Rear (Article 1409283)
8. Noise (itype_156)
9. Vibration (itype_176)

Component Procedures: Brake Pad

Parts and Labor (itype_189)

Parts

Qualifier	Part #	Name	Price	Note
Front Pads	C2Y33323ZA	Front Pads	96.32	
Rear Pads	C2Y32648ZA	Rear Pads	102.44	

Labor

Operation	Qualifier Path	Skill	Std Hrs	Wty Hrs
Replace	Front Pads	B	1.0	0.6
Replace	Front Pads > NOTE > To Overhaul Caliper, Add ?	B	0.3	0.0
Replace	Front Pads > NOTE > To R&I or R&R Rotor, Add ?	B	0.2	0.0
Replace	Front Pads > NOTE > To R&R Brake Hose, Add > ?	B	0.2	0.0
Replace	Front Pads > NOTE > To R&R Caliper, Add > Each	B	0.2	0.0
Replace	Front Pads > NOTE > To R&R Rear Parking Brake?	B	0.4	0.0
Replace	Front Pads > NOTE > To Reface Rotor, Add > Ea?	B	0.4	0.0
Replace	Rear Pads	B	1.0	0.7
Replace	Rear Pads > NOTE > To Overhaul Caliper, Add >?	B	0.3	0.0
Replace	Rear Pads > NOTE > To R&I or R&R Rotor, Add >?	B	0.2	0.0
Replace	Rear Pads > NOTE > To R&R Brake Hose, Add > E?	B	0.2	0.0
Replace	Rear Pads > NOTE > To R&R Caliper, Add > Each	B	0.2	0.0
Replace	Rear Pads > NOTE > To R&R Rear Parking Brake ?	B	0.4	0.0
Replace	Rear Pads > NOTE > To Reface Rotor, Add > Each	B	0.4	0.0

Front (Article 1409320)

Non Standards

- Disc Pad (Front) Replacement (1409323)

Rear (Article 1409321)

Non Standards

- Disc Pad (Rear) Replacement (1409324)

Mechanical (including Torque) (itype_28)

Front

Minimum front disc pad thickness 2.0 mm (0.079 in) min.

Rear

All Technical Service Bulletins (itype_100)

Tsbs

- BRAKE NOISE, JUDDER AND DRAGGING DIAGNOSIS AND SERVICING (04-001/20, 2020/01/08)

Front (Article 1409282)

Non Standards

- Disc Pad Thickness Inspection (1409284)

Rear (Article 1409283)

Non Standards

- Disc Pad Thickness Inspection (1409285)

Noise (itype_156)

Tsbs

- BRAKE NOISE, JUDDER AND DRAGGING DIAGNOSIS AND SERVICING (04-001/20, 2020/01/08)

Vibration (itype_176)

Tsbs

